



(OKB) Weed brush

The weed brush can be linked to the (mini)shovel, (mini)crane, tractors, spike, etc. as long as the minimum oil yield is 25 litres.

- By using a movable function with the pivot in front of the vehicle, there is a large swivel range possible. Actually 70 degrees to the left and the right, which ensures that the weed brush can move far besides the vehicle. This gives a good view on the brush.
- The weed brush is designed with an oscillating construction, which ensures that the brush follows the ground. Because of this, it is not necessary to correct the height by unevenness of +/- 15 cm. At the same time, this allows the angle of the brush to be patched, by lifting or dropping the frame, for a more or less aggressive working.
- The diameter of the brush is 750 mm (Option 1000 mm).
- The brush can be operated with two hydraulic functions.
- Available with a brush of steel sheets or steel cable.
- Weight 200 kg.



	Types	Description	Price
➤	OKBS	Fixed version	€ 1.680,-
➤	OKBZM	Mechanical swivel version	€ 2.100,-
➤	OKBZH	Hydraulic swivel version	€ 2.350,-

The prices are without attachment parts, for these parts see pages 59-63. For more information: www.kempmachines.com

Options Weed brush



Edge knife



Rubber flap



Tilting

- **Edge knife:** The edge cutter ensures that the edges, for example from a lawn, are cut tightly. The edging knife is equipped with an obstacle protection by means of a heavy spring. Furthermore, the knife can be hydraulically folded up by means of cylinder.
- **Rubber flap:** The rubber flap ensures that the weeds do not fly far away. The rubber flap can be adjusted in several positions.
- **Tilting 15 degrees:** The option allows the machine to tilt the brush 15 degrees. Both front and back the brush can be adjusted by 15 degrees. The advantage here is that the brush can be used more aggressively by tilting.

Options	Description	Price
➤ OKBF	Movable rubber flap	€ 300,-
➤ OKBKS	Edge knife	€ 1.850,-
➤ OKBKM	Mechanical adjustment tilting	€ 500,-
➤ OKBKH	Hydraulic adjustment tilting	€ 600,-
➤ OKB1000	Brush diameter 1000 mm, 44 bundles steel cable (min. oil yield 30 litre).	€ 200,-
Advice by intensive use:		
➤ DL	Return flow connection	€ 75,-
➤ OKBO	Pressure relief valve	€ 125,-

Options for operating the brush

Options	Description	Price
➤ OKBE	Electric use of turning and swivelling the brush with 1 function	€ 600,-
➤ OKBEE	Electric use of turning, swivelling and tilting the brush	€ 850,-
➤ OKB3XE	Electric use of turning, swivelling, tilting the brush and the edge knife	€ 1.100,-
➤ OKBJ	Joystick with magnetic base and cable for operating	€ 250,-

Brushes



Options	Description	Price
➤ LBHKG	750mm with 76 bundles steel sheets	€ 200,-
➤ LBSTK750	750mm with 36 bundles steel cable	€ 190,-
➤ LBSTK1000	1000mm with 44 bundles steel cable	€ 275,-
➤ LBNY750	750mm nylon	€ 150,-
➤ LBNY1000	1000mm with 28 replaceable nylon parts	€ 350,-
➤ LPNY1000	Replaceable nylon parts for LBNY1000	€ 5,50