



**OKBM**



**OKBZ**



**OKBS**



**OKBS**

## (OKB) Weed brush

The weed brush can be linked to the (mini)shovel, (mini)crane, tractors, spike, etc. as long as the minimum oil yield is 25 litres.

- By using a movable function with the pivot in front of the vehicle, there is a large swivel range possible. Actually 70 degrees to the left and the right, which ensures that the weed brush can move far besides the vehicle. This gives a good view on the brush.
- The weed brush is designed with an oscillating construction, which ensures that the brush follows the ground. Because of this, it is not necessary to correct the height by unevenness of +/- 15 cm. At the same time, this allows the angle of the brush to be patched, by lifting or dropping the frame, for a more or less aggressive working.
- The diameter of the brush is 750 mm (Option 1000 mm).
- The brush can be operated with two hydraulic functions.
- Available with a brush of steel sheets or steel cable.
- Weight 200 kg.



**Oscillating**

### For further information:

<https://www.kempmachines.com/park/weed-brushes>

	<b>Types</b>	<b>Description</b>	<b>Price</b>
➤	<b>OKBS</b>	Fixed version	€ 1.725,-
➤	<b>OKBM</b>	Mechanical swivel version	€ 2.150,-
➤	<b>OKBZ</b>	Hydraulic swivel version	€ 2.395,-

For **attachment parts** see pages 61-65.


## Options Weed brush



**Edge knife**



**Rubber flap**



**Tilting**

**Edge knife:** The edge cutter ensures that the edges, for example from a lawn, are cut tightly. The edging knife is equipped with an obstacle protection by means of a heavy spring.

**Rubber flap:** The rubber flap ensures that the weeds do not fly far away. The rubber flap can be adjusted in several positions.

**Tilting 15 degrees:** The option allows the machine to tilt the brush 15 deg.

	Options	Description	Price
➤	<b>OKBF</b>	Movable rubber flap	€ 300,-
➤	<b>OKBVA800</b>	Extended arm (800mm instead of 650mm)	€ 75,-
➤	<b>OKBVA1000</b>	Extended arm (1000mm instead of 650mm)	€ 100,-
➤	<b>OKBKS</b>	Edge knife	€ 1.850,-
➤	<b>OKBKM</b>	Mechanical adjustment tilting	€ 500,-
➤	<b>OKBKH</b>	Hydraulic adjustment tilting	€ 600,-
➤	<b>OKB1000</b>	Brush diameter 1000 mm, 44 bundles steel cable (min. oil yield 30 litre).	€ 200,-
➤	<b>OKBNY1000</b>	Brush diameter 1000 mm, 24 replaceable nylon parts (min. oil yield 30 litre).	€ 200,-

### Advice by intensive use:

➤	<b>DL</b>	Return flow connection	€ 75,-
➤	<b>OKBO</b>	Pressure relief valve	€ 125,-

## Options for operating the brush

	Options	Description	Price
➤	<b>OKBE</b>	Electric use of turning and swivelling the brush with 1 function	€ 600,-
➤	<b>OKBEE</b>	Electric use of turning, swivelling and tilting the brush	€ 850,-
➤	<b>OKB3XE</b>	Electric use of turning, swivelling, tilting the brush and the edge knife	€ 1.100,-
➤	<b>OKBJ</b>	Joystick with magnetic base and cable for operating	€ 250,-

## Brushes



Steel sheets



Steel cable



**LBNY750**



Nylon



**LBNYV750 / LBNYV1000**

Nylon parts

Options	Description	Price
➤ <b>LBHKG</b>	750mm with 76 bundles steel sheets	€ 200,-
➤ <b>LBSTK750</b>	750mm with 36 bundles steel cable	€ 190,-
➤ <b>LBSTK1000</b>	1000mm with 44 bundles steel cable	€ 275,-
➤ <b>LBNY750</b>	750mm	€ 150,-
➤ <b>LBNYV750</b>	750 mm with 20 replaceable nylon parts	€ 250,-
➤ <b>LBNY1000</b>	1000mm with 24 replaceable nylon parts	€ 350,-
➤ <b>LPNYV</b>	Replaceable nylon parts for LBNY1000 and LBNYV750	€ 5,50

For ordering these brushes, see the link below:

<https://www.kempmachines.com/weed-brushes>